



## Dead Weight Pressure Gauge Tester - Comprasion

For quick calibration by comparison with Master Gauge. The Master Gauge to be periodically checked on Dead Weight Pressure Gauge Tester. Two Gauge Connectors are provided for connecting master gauge and gauge to be tested to the same hydraulic pressure. Screw Pump to generate pressure in the Circuit. Permits easy and accurate setting of pressure.

Model No. PDW-1	Model No. PDW-2	Model No. PDW-3
Model No. PDW-1 It is provided with a large capacity screw pump and a removable oil reservoir with isolating valve in a simple line circuit permitting effective air removal	Model No. PDW-2 It is provided with lever operated Priming Pump also giving continuous oil delivery for filling up large gauges or even external piping. Capable of developing 10% of the instrument range and with isolating valves at both ends. It forms a unique closed circuit for effective air removal	Model No. PDW-3 It is provided with a larger Priming Pump and a bigger oil reservoir for more oil delivery. Conical ball bearing is also housed in the front plate of screw pump to minimize the linear force while increasing pressure to high values.
<b>RANGE</b> 0-100 kgf/cm2 0-1500 lbf/in2	<b>RANGE</b> 0-700 kgf/cm2 0-10000 lbf/in2	<b>RANGE</b> 0-1000 kgf/cm2 0-15000 lbf/in2

## Thank you customers for choosing us as your partners in growth !



\*All the above logos are the sole property of their respective owners and are used purely for depiction purposes only.

## Head Office :

## Presto Stantest Private Limited

I-42, DLF Industrial Area Phase-1, Delhi Mathura Road, Faridabad 121003, Haryana, India P : +91 129 4272727 (100 Lines) E : info@prestogroup.com

Faridabad • Kolkata • Mumbai • Pune • Ahmedabad • Chennai • Bangalore

2019-20

